

EDDIE TECHNOLOGY

Your First Choice



ISO 9001
CERTIFIED



ASSOCIATION OF
AEM
EQUIPMENT MANUFACTURERS MEMBER



EDT SERIES

HYDRAULIC BREAKER

Authorised Dealer:



Saden International Trading Co.

Ali Bin Abi Talib Road, Old Sinaiyah, Near Al-Awaidah Mosque,
Riyadh 11312, Kingdom of Saudi Arabia.
Tel: +966 11 2044881 / 2044883 Fax: +966 11 2044882
Email: saden@sadentrading.com
Website: <http://www.sadentrading.com>



YANTAI EDDIE PRECISION MACHINERY CO., LTD.

Add:189 Qinhuahe Road, Yantai Economic & Technological Development Zone,
Yantai city, Shandong Province, China, PC: 264006
Tel: +86-535-6392926-823 Fax :+86-535-6399419
International business:+86-535-6392926-819 Fax:+86-535-6396536
E-mail: ytcceddie@hotmail.com website: www.cceddie.com



YANTAI EDDIE PRECISION MACHINERY CO., LTD

EDT SERIES

HYDRAULIC BREAKER

Professional manufacturer Professional choice



YanTai Eddie Precision Machinery Co.,Ltd ("EDDIE") is a leading manufacturer of hydraulic breakers and attachments widely used in the construction, demolition, aggregate stone, and mining industries. We have listened to our royal customers to built all our models with their needs in mind. EDDIE's "EDT" brand full range of powerfully-constructed, adaptable breakers provide consistently high production, unsurpassed reliability, low maintenance, long working life and innovative features.

Our "EDT" (Eddie Technology) brand is proudly represented by the "F" logo representing to everyone that our customers always come FIRST. We believe that success can be achieved by being the industry leader in providing customers with products of unsurpassed quality coupled with the highest level of service and support. Buying a "EDT" brand breaker buys you performance, quality and value plus additional peace of mind benefits. We were certified to ISO9001 and CE certificate.

We have over 300 employes currently, factory cover 30,000 square meters which built three workshops which equipped with over twenty advanced CNC machining centers and others speical machining equipments.


We have already established overall sales network include domestic and international market, we are one of the top market shares in the domestic market and also we have already exported our hydraulic breakers to several dozens countries.

Innovation, cooperation and credibility is our promise and value. Sincerely welcome our friends, partners like you to join us for creating a prosperous future.



STRUCTURE

Inward Valve Type



The longest service life due to adoption of advanced heat treatment process.

The energy of piston stroke is accumulated due to charged nitrogen gas.

Easy to access for repairing and/or replacing.

Enhancing equipment durability through this efficiency shock absorption system.



Super stability quality through manufactured by precision CNC machines.

Noted durability as a result of quality proven material in intensity, anti-wear, heat resistance, tenacity, anti-impact, internal pressure, etc.

Supports breaker and assembled with bush, which buffers shock from the chisel.

This working tool ensures the EDT hydraulic breaker's perfect performance and economy.

Outward Valve Type



CHISEL TYPE

APPLICATIONS

① Moil Point Type (M)

Universal

② Conical Type (C)

Multiple Purpose

③ H-Wedge Type (H)

Trenching, Asphalt, Concrete

④ V-Wedge Type (V)

Trenching, Asphalt, Concrete

⑤ Blunt Type (B)

Boulders Concrete



ISO 9001
CERTIFIED



AES
ASSOCIATION OF
EQUIPMENT MANUFACTURERS
MEMBER



Light-duty Hydraulic Breakers

- Prolonged life
- Steady performance
- Reliable after-sales service

Professional manufacturer Professional choice

EDT SERIES
HYDRAULIC BREAKER



EDT100 EDT200 EDT300 EDT400



EDT430 EDT450 EDT800 EDT1600



EDT100 EDT200 EDT300 EDT400 EDT430 EDT450 EDT800 EDT1600



EDT100 EDT200 EDT300 EDT400 EDT430 EDT450 EDT800 EDT1600


SPECIFICATION

ITEMS	Unit	EDT100	EDT200	EDT300	EDT400	EDT430	EDT450	EDT800	EDT1600
MAIN BODY WEIGHT	kg	46	63	86	151	220	278	471	642
TOTAL WEIGHT	kg	70	90	120	250	375	510	765	1,255
LENGTH	mm	925	1,050	1,170	1,330	1,719	1,737	1,939	2,089
WIDTH	mm	199	209	219	235	288	336	450	508
OIL FLOW	l/min	15~25	30~30	25~50	40~70	50~90	45~85	80~110	90~120
WORKING PRESSURE	kg/cm ²	80~110	80~110	90~120	110~140	120~150	127~147	150~170	150~170
IMPACT RATE	bpm	800~1400	700~1200	600~1200	500~900	400~800	400~800	350~700	400~530
TOOL DIAMETER	mm	40	45	53	68	75	85	100	125
APPLICABLE EXCAVATOR CLASS	ton	0.8~2.5	1.2~3.0	2.5~4.5	4~7	6~9	7~14	10~15	15~21

APPLICABLE EXCAVATOR

MODEL	DOOSAN DAEWOO	VOLVO	HITACHI	KATO	KOBELCO	KOMATSU	SUMITOMO	LIEBHERR	HYUNDAI	CAT	JCB	JONYANG	LIUGONG	YUCAI	CASE	JOHNEDEER	XGMA	LOADER
EDT100	SOLAR007/010		EX8/12/15 UE10			PC05-1/5 PC05-6			ROBEX15 ROBEX28	301.6C 301.8C				YC13-6 YC18-3 YC20-8	CK808 1818UNILD CK13.1825UNILD CK13 CK15 CK161 825 835B 1818 1830			
EDT200	SOLAR007/010	EC14/15B/20B	EX8/12/17/18 UE10/12/15/20 EC22			PC05 PC07-2			ROBEX35	302.5C								200
EDT300	DH30 SOLAR30/035 DSL602	EC30/25/35 ZL302	EX25/27/30 /33/34 UE30		SK35	PC10 PC12 PC15 PC20 PC27			HX15SR	303C CR 303.5C CR				YC35-6 YC35-8	CK23 CK28 CK31 40XT 60XT 1830			
EDT400	DH55 DH60	EC55	ZX30 ZX35 ZX60 ZX60W	HD180 HD250 HD400	SK035 SK60	PC40 PC45 PC50 PC60	S25 S140 SH75 S160	A310	R55-7A R855-7 RB60-7 R55W-7A	304C CR 305C CR		JY35 JYL80	CLG904 CLG905 CLG907	YC35 YC55 YC65	28MAXI 31MAXI 35MAXI 50MAXI	30 50	60-8 60-8	ZL10 ZL15 ZL30
EDT430			ZX60 ZX60W	HD250 HD400	SK60	PC45 PC50 PC60	S140 S160	A310	R75-7 R80-7A	307D 308D CR	JZ70	JYL80	CLG907	YC65	50	50	60-8 60-8	ZL10 ZL30 ZL40 ZL30 ZL35 ZL40
EDT450			ZX60 ZX60W	HD650	SK60	PC60 PC40 PC45 PC50	S140 SH75 S160	A310	R110-7A	308D CR SB	JZ70	JYL80	CLG907	YC65			88-8	ZL30 ZL35 ZL40
EDT800	DH130 DH130W DH150 DH170	EC120 EC140	ZX100 ZX130W ZX150 ZX100WD	HD450 HD500 HD550 HD650	SK100 SK120	PC90 PC100 PC120 PC150 PW150	S40 S70 SH120	R310 R312 R900LIT R901 A902 A316	R1400-TA RB135-7 RB175 213 214 E110 E70B	205 206 212 JZ140 JZ130 JSW130 JSW145	JY161 JYL80	CLG907	YC135	WX120 588 788 795 900 CX130	JD34	140-8	ZL50	
EDT1600	SOLAR170 DH170	EC140B/150 EW150/160				PC150 PW150 PW170		A/R900 A/R902 R310 R312 A316	ROBEX170W ROBEX180LC	315DL	JS160 JS180 JSW160 JSW175							

BREAKER CAPACITY



Medium-duty Hydraulic Breakers

- Strict quality management
- Ideal designing
- Perfect manufacturing process

Professional manufacturer Professional choice

EDT SERIES

HYDRAULIC BREAKER

EDT2000

EDT2000F

EDT2100

EDT2200

EDT3000

BREAKER CAPACITY					
Unit: m ³ /8hr					
(m ³)	Non reinforced concrete(t:30cm)	Reinforced concrete(t:30cm)	Hard rock		
800					
700					
600					
500					
400					
300					
200					
100					
0					

SPECIFICATION						
ITEMS	Unit	EDT2000	EDT2000F	EDT2100	EDT2200	EDT3000
MAIN BODY WEIGHT	kg	820	857	840	911	1,410
TOTAL WEIGHT	kg	1,740	1,643	1,575	1,850	2,420
LENGTH	mm	2,327	2,302	2,471	2,414	2,500
WIDTH	mm	560	560	560	560	635
OIL FLOW	l/min	130~150	145~180	120~150	120~180	150~190
WORKING PRESSURE	kg/cm ²	160~180	160~180	160~180	160~180	160~180
IMPACT RATE	bpm	400~800	360~460	325~410	350~500	350~700
TOOL DIAMETER	mm	135	135	138	140	150
APPLICABLE EXCAVATOR CLASS	ton	18~26	18~26	18~26	18~26	27~35

APPLICABLE EXCAVATOR																	
MODEL	DOOSAN DAEWOO	VOLVO	HITACHI	KATO	KOBELCO	KOMATSU	SUMITOMO	LIEBHERR	HYUNDAI	CAT	JCB	JONYANG	LIUGONG	CASE	JOHNDEER		
EDT2000	DH220	EC210	ZX200 ZX210	HD700	SK200 SK220	PC200	SH200	904	R200W-7A	E200B	JS200	JYL210E	CLG200	CX210			
EDT2000F	DH225		ZX220 ZX270	HD800 HD820	SK200E SK210E SK220E SK230E	PC220 PW210	S260	A912 A922	RB200 RB210 R215	320C 322	JS210 JSW200	JY200E JY230	CLG920	1188CK 9021N	JD55 790D		
EDT2100	DH220 DH225	EC210	ZX200 ZX210 ZX220 ZX270	HD700 HD800 HD820	SK200 SK220 SK200E SK210E SK220E SK230E	PC200 PC220 PW210	SH200 S260	904 A912 A922	R210C-7A RB200 RB210 R215	E200B 320C 322	JS220	JYL210E JY200E JY230	CLG200 CLG920	CX210 1188CK 9021N	JD55 790D		
EDT2200	DH220 DH225 DH258	EC210 EC240	ZX210 ZX220 ZX230 ZX240	HD820-5 HD880 HD1023	SK220 SK230 SK250	PC200 PC220	SH200 SH240 S260	914 924 A912 A922	R250LC-7A R220 R205-7 R225	320C 219 320 322 325	JS240 JS260	JYL210E JY230E	CLG210 CLG230 CLG920 CLG923C CLG925	CX210 1188CK 9021N	JD55 790D		
EDT3000	DH300	EC290	ZX280 ZX300	HD1023 HD1100 HD1200	SK300E SK270 SK300 SK320	PC250 PC270 PC300	S90 SH300 SH330	934 R922LIT A932	R290LC-7A R260 R290	325 330	JS330	JY320	1288LC	890			



EDT SERIES

HYDRAULIC BREAKER

Heavy-duty Hydraulic Breakers

- Powerful hammering
- Easy maintenance
- Excellent environmental protection

Professional manufacturer Professional choice



SPECIFICATION

ITEMS	Unit	EDT3200	EDT3500	EDT4500
MAIN BODY WEIGHT	kg	1,380	1,443	1,600
TOTAL WEIGHT	kg	2,555	2,570	3,909
LENGTH	mm	3,119	2,816	3,617
WIDTH	mm	710	635	760
OIL FLOW	l/min	180~240	200~260	210~290
WORKING PRESSURE	kg/cm²	160~180	160~180	160~180
IMPACT RATE	bpm	300~450	250~400	200~350
TOOL DIAMETER	mm	155	165	175
APPLICABLE EXCAVATOR CLASS	ton	28~35	30~45	40~55

APPLICABLE EXCAVATOR

MODEL	DOOSAN DAEWOO	VOLVO	HITACHI	KATO	KOBELCO	KOMATSU	SUMITOMO	LIEBHEER	HYUNDAI	CAT	JCB	JONYANG	CASE	JOHNDEER
EDT3200	DH300	EC290	ZX300 ZX330 ZX350	HD1200 HD1250 HD1430-3	SK300 SK320 SK330 SK350	PC250 PC300	S340 S390	944 R922 R360 R420	R320LC-7A R290 R360 R420	330 E300 220 225 239	JS330	JY320	1288LC	890
EDT3500	DH360 DH420 DH500	EC360 EC460	ZX360 ZX400	HD1500 HD1800 HD2500	SK400 SK430 SK450	PC400	S100 S430 SH400 SH450	R952 R954LIT	R360LC-7A R420 R450	329 335 330L E450 235C		1488LC 9033	892	
EDT4500	DH420 DH500	EC460	ZX400	HD2500	SK430 SK450	PC400	SH400 S430	R952	R450LC-7A R420 R450 R500LC-7A	E450 235C	JS460	1488LC 9033	892	

EDT SERIES

HYDRAULIC BREAKER

Professional manufacturer Professional choice



ISO 9001
CERTIFIED

CE
AEM
ASSOCIATION OF
EQUIPMENT MANUFACTURERS
MEMBER

Innovation leading Technology and Products

- ✓ Our own technology
- ✓ Flexible and Optimized design
- ✓ Powerful impact
- ✓ Durability, reliability and Safety
- ✓ Easy and Economic maintenance
- ✓ Strong back up services and support.
- ✓ Highest cost performance ratio
- ✓ Real manufacturer, we make all of components.

Exquisite Technology

Supreme Quality

Excellent Service



EDT SERIES

HYDRAULIC
BREAKER

Professional manufacturer Professional choice

- EDT Quick Coupler
- EDT Backhoe loader type Breaker
- EDT Skid Steer loader type Breaker



Free Type



Fixed type



Ripper



Features

- Use the high strength material to get better wearing resistance
- More time saving, it can be changed easily and quickly and enhanced working efficiency
- Safety device make sure worry nothing
- Reliable and optimizational design make sure high quality and better performance



apply to:

- JCB 3CX,3DX,4CX
- Case 580M
- Cat416 D
- John Deere 310J,410J
- Other backhoe loaders

